INDEX TO VOLUME 81

Names of contributors are printed in CAPITALS. Names of new genera, species, varieties, forms and combinations are printed in **bold face**. Numbers in *italic* refer to pages on which the name is listed as a synonym. Numbers in **bold face** refer to pages on which the name is accompanied by a description or illustration.

Abies, 340; *amabilis*, 83; *lasiocarpa*, 83
Acer, 458; *interior*, 33; *Negundo*, 21; **Negundo** subsp. **interius**
Achatocarpus, 213
Achillea Millefolium, 24, 32
Acisanthera quadrata, 392
Actaea rubra, 23
Actinidia, 213
Adelia ovata, 360
Adiantopsis radiata, 393
Adiantum, 393; *capillus-veneris*, 393, 396; *feei*, 393
Adlumia fungosa
Aeginetia, 213
Aextoxicon, 213
Agave, 391
Agoseris scorzoneraefolia, 248
Agrimonia gryposepala, 21
Agropyron, 251; *repens*, 92, 152
Agrostis borealis, 245; *gigantea*, 31; *palustris*, 20, 23
Akania, 213
Akanthomyces aranearum, 493
Alangium, 213
Alaria, 314
Alectoria ochroleuca, 243; *pubescens*, 243
Alisma plantago, 154; *reinformis*, 154; *triviale*, 28
ALLEN, G. O.: An annotated key to the Nitelleae of North America, 35
Allium cepa, 128; *odorum*, 297
Allomyces, 116; *javanicus*, 115, 117
Alnus rugosa, 462
Aloe, 311; *aristata*, 309, 311
Alopecurus, 319; *aequalis*, 23; *alpinus*, 315, 320
Alpine fir at Taku Glacier, Alaska with notes on its postglacial migration to the territory, 83
Alsophila, 368
Alternaria, 402, 403, 404; *solani*, 402, 404; *tenuis*, 401, 402, 403, 404
Althaea rosea, 201, 202, 203, 204, 205, 207
Alyssum calycinum, 24
Amanita, 517
Amaranthus graecizans, 24; *retroflexus*, 24
Amborella, 213
Ambrosia coronipifolia, 32; *trifida*, 24, 32
Ammophila breviligulata, 92
Anacharis densa, 309
Anadyomene, 79
Andraea rupestris, 244
Andromeda glaucophylla, 461, 462
Andropogon, 251, 340; *Gerardi*, 32; *ischaemum*, 128; *scoparius*, 32, 92
Anemone canadensis, 23; *cylindrica*, 32
Angiosperms, World families for, 210
Antennaria isolepis, 248; *media*, 248; *megacephala*, 248; *microphylla*, 32; *pallida*, 248
Anthurium chiapense, 391, 396; *fraternum*, 391, 396; *scandens*, 393
Apios americana, 156
Aplectrum hyemale, 349
Apocynum androsaemifolium, 23, 32
Aptandra, 213
Aquilegia, 365; *canadensis*, 23, 460
Arabis divaricarpa, 22
Arachis hypogaea, 123
Aralia nudicaulis, 21, 22
Araucaria, 215
Arceuthobium pusillum, 92, 461
ARCHARD, HOWELL O., AND MURRAY F. BUELL: Life form spectra of four New Jersey Pitch Pine Communities, 169
Arctagrostis latifolia, 315, 320
Arctoa falcata, 244; *fulvella*, 244; *starkei*, 244
Arctophila fulva, 315, 320
Ardisia, 390, 396
Arenaria patula, 455
Arenaria patula in Pennsylvania, 455
Argentina Anserina, 20, 25
Aristida tuberculosa, 92
Armillaria mellea, 517
Arnica amplexicaulis, 248; *latifolia*, 248
Artemisia, 24; *arctica*, 240, 248; *biennis*, 31; *frigida*, 32; *glauca*, 32; *gnaphalodes*, 32
Arthrobacter, 218
Arthrostemma parvifolium, 392, 397
Asclepias curassavica, 392; *incarnata*, 20; *speciosa*, 32
Ascochyta gossypii, 457
Ascyrum hypericoides, 390, 394, 397
Aspergillus, 460; *niger*, 402; *ochraceous*, 402; *quadrilineatus*, 402
Asplenuim, 66, 396; *ebenoides*, 91; *finlaysonianum*, 66; *tuerckheimii*, 393; *platy-*

neuron, 92; *rota-muraria*, 91; *tricomanes*, 251
Aster, 156, 251; *ciliolatus*, 251; *cordifolius*, 251; *divaricatus, ericoides*, 20, 28, 31, 32; *laevis*, 22, 32; *praealtus*, 26, 28; *ptarmicoides*, 28; *simplex*, 22, 32
Asteranthus, 213
Astragalus, 285, 514
Athyrium filix femina subsp. *cyclosorum*, 245
Atriplex hastata, 25
Austrobaileya, 213
Avena, 458
Avicennia, 213
Axyris amaranthoides, 23, 32
Bacidia flavovirescens, 243
Bacopa lacertosa, 392, 396
BAILEY, PAUL C.: A further study of the chromosome morphology of some species of *Trillium*, 68. Temperature effects upon the rate of nuclear division in root tips of *Trillium sessile* L., 414
Baptisia, 284
Barbarea orthoceras, 24
Barbeya, 213
BARD, GILY E.: Pioneer plant geography (Review), 469
Barringtonia, 213
Bartramia ithyphylla, 244
Bartsia, 194
Beckmannia syzigachne, 23
Begonia, 391; *pinetorum*, 391
BERGER, C. A. AND E. R. WITKUS: The cytology of *Xanthisma texanum* D.C. I. Differences in the chromosome number of root and shoot, 489
Betula nana, 314
Bidens vulgata, 25, 28, 31
BIEKART, HENRY M.: The secret of the green thumb (Review), 466
Blephariglottis (*Habenaria*) *cristata*, 363
Bletia purpurea, 392, 396
Boltonia asteroides, 92
Bomarea acutifolia, 391
Boodlea, 78
Borgesenia, 80
Botanical literature, Notes on recent, 364
Botanical terms, Materials for a dictionary of, I, 1; II, 188
Bouteloua gracilis, 251
Bouvardia longiflora, 390
Bracharia distachya, 151, 153, 154
Brachythecium salebrosum, 244
Bretschneidera, 213
Brickellia Kellermanii, 390, 397
BROWN, CLAIR A.: Fossil plants of the florissant beds, Colorado (Review), 155
BROWN, WALTER V.: A preliminary study of the staining of plant cells by tetrazolium chloride, 127
Brunonia, 213
Bryum cuspidatum, 244
Buchnera mexicana, 392, 396
Buddleia, 213
BUELL, HELEN F.: The web of life (Review), 470
BUELL, MURRAY F., HELEN F. BUELL AND JOHN A. SMALL: Fire in the history of Mettler's woods, 253
Bunchosia lanceolata, 390
Byblis, 213
Cacalia, 391
Calamagrostis, 340; *canadensis*, 20, 23; *candensis* subsp. *langsdorfii*, 245; *inexpansa*, 20, 27, 28
Calianthe mexicana, 392
Calla palustris, 462
Calliandra grandiflora, 390; *Houstoniana*, 390
Callierganella schreberi, 244
Callirrhoe involucrata, 200
Callisia monandra, 391
Calopogon, 363; *pulchellus*, 91, 363
Calystegia sepium, 21, 22, 25, 28
Camelina microcarpa, 24
Campanula lasiocarpa, 248; *rotundifolia*, 23
Camptosorus rhizophyllus, 92
Capsella Bursa-pastoris, 24
Capsicum annuum, 400, 401, 402, 403
Cardamine bellidifolia, 246
Carex aenea, 246; *anthoxanthea*, 245; *assiniboinensis*, 22; *atherodes*, 28, 31; *cryptolepis*, 91; *flava*, 91, 461; *lachenalii*, 246; *macrochaeta*, 246; *nardina*, 245; *nigricans*, 246; *praticola*, 246; *pribylovensis*, 246; *pyrenaica*, 245; *pyrenaica* subsp. *micropoda*, 246; *scirpoidea*, 245; *spectabilis*, 246; *trisperma*, 462
CARLSON, MARGERY C.: Floral elements of the Pine-Oak-Liquidambar forest of Montebello, Chiapas, Mexico, 387
Carpenterella, 152
Caryopsis in some Indian millets, 288
Cassiope, 319; *lycopodioides*, 247; *mertensiana*, 240, 241, 247; *stelleriana*, 240, 247; *tetragona*, 247, 313, 315, 320
Castilleja arvensis, 392, 398
Catopsis, 396; *Hahnii*, 393; *nitida*, 393
Cavendishia crassifolia, 390
Ceanothus coeruleus, 390
Celtis pumila, 22
Cenchrus, 92; *pauciflorus*, 92; *tribuloides*, 92

Cerastium Beeringianum, 315, 320; *nutans*, 21
Ceratodon purpureus, 244
Ceratophyllum, 30; *demersum*, 30
Ceratozamia, 512
Cercidiphyllum, 213
Cetraria delisei, 317, 320; *islandica*, 243; *nigricans*, 243; *nivalis*, 243
Chaetomorpha, 76, 80, 81; *aerea*, 77; *darwinii*, 76
Chamaedorea, 390, 395
Chamaenerion angustifolium, 22, 24
Chamaepericlymenum canadense, 21
CHAPMAN, V. J.: The Siphonocladales, 76
Chara, 30
Cheilanthes, 396; *marginata*, 393; *nothoiaenoides*, 393
Chelone glabra, 156
Chemaphila maculata, 392
Chenopodium, 26, 458; *album*, 24, 25, 31; *gigantospermum*, 24, 31; *glaucum* subsp. *salinum*, 25, 26; *rubrum*, 25
Chile, Internal contamination of, 400
Chimaphila, 398; *maculata*, 397
Chingithamnus, 213
Chiococca phaenostemon, 390
Chiogenes, 212
Chlamydomonas, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 366, 458; *chlamydogama*, 218, 219, 221, 225, 229, 232
Chlamydomonas Chlamydogama Bold and *Haematococcus Pluvialis* Flotow em. Wille, 218
Chlorella, 457
Chloris, 251
Chromosome morphology of some species of *Trillium*, 68
Chromosome numbers and morphology in *Habranthus* and *Zephyranthes*, 141
Chroolepus umbrinum, 177
Chrysanthemum, 252
CHRYSLER, M. A.: A preliminary checklist of Jamaican pteridophytes (Review), 367
Chrysopsis Ballardi, 32
Chrysosplenium tetrandrum, 317, 320
CHUTE, HETTIE M.: College botany (Review), 468
Cicuta maculata, 25
Circaea latifolia, 204
Circaeaster, 213
Cirsium arvense, 25, 28, 31; *Flodmani*, 32
Cladium jamaicense, 392
Cladoderris dendritica, 425
Cladonia amaurocraea, 243; *bellidiflora*, 243; *carneola*, 243; *chlorophaea*, 243; *coccifera*, 243; *cornuta*, 243; *deformis*, 243; *ecmocyna*, 243; *gracillis*, 243; *gracilis* forma *aspera*, 243; *gracilis* var. *chordalis*, 243; *gracillis* var. *dilatata* forma *anthocephala*, 243; *lepidota*, 243; *macrophyllodes*, 243; *mitis*, 244; *rangiferina*, 244; *verticillata* forma *evoluta*, 244
Cladophora, 76, 78, 80, 81; *glomerata*, 79; *herpesitea*, 78; *lyallii*, 78; *membranacea* var. *repens*, 78; *verticillata*, 80
Cladophoropsis, 76, 78, 80, 81; *membranacea*, 77
Cladosporium herbarum, 402
Clarkia, 252
Claytonia caroliniana, 461
Clematis ochroleuca, 92
Clethra, 394; *Carlsoniae*, 390
Clusia Salvinii, 390
Cochlearia officinalis, 314, 320, 321; *officinalis* subsp. *arctica*, 317
COE, GERALD E.: Chromosome numbers and morphology in *Habranthus* and *Zephyranthes*, 141
Columnea guatemalensis, 391, 396
Comandra Richardsiana, 23
Comarum palustre, 20, 25
Connarus, 396; *stenophyllus*, 390
Conostomum boreale, 244
Convallaria majalis, 157
Cooperia, 129; *pedunculata*, 128, 129, 130
Copaifera, 179, 181, 184, 185, 186; *aromatica*, 182; *brasiliensis*, 184; *canime*, 182; *chodatina*, 185; *confertifolia*, 185; *coriacea*, 180; *coriacea* var. **macrophylla**, 180; **depilis**, 185; *duckei*, 183; *elliptica*, 181; *epunctata*, 184; *fissicuspis*, 186; *glycycarpa*, 179; *guianensis*, 182; *gynohirsuta*, 179, 181; *hymenaefolia*, 185; *laevis*, 185; *langsdorfii*, 181, 183; *langsdorfii* var. *glabra*, 183; *langsdorfii* var. *grandifolia*, 183; *langsdorfii* var. *laxa*, 183; **magnifolia**, 184; *malmei*, 179; *marginata*, 180, 185; *martii*, 180; *multijuga*, 181; *oblongifolia*, 181; *oblongifolia* var. **comosa**, 181; *officinalis*, 183; *panamensis*, 183; *paupera*, 183; *pubiflora*, 182; *trapezifolia*, 182
Copaifera, Further studies of the new world species of, 179
Cordyceps, 492, 493, 499, 500; *arachneicola*, 492; 495; *arachnophila*, 500; *caloceroides*, 492, 497, 499; *cylindrica*, 492, 494, 495; *engleriana*, 492, 493, 495; *flavo-viridis*, 495, 500; *gigantea*, 500; *gonylepticida*, 500; **grenadensis**, 492, 496, 499, 500; *ignota*, 492, 496, 497;

montagnei, 500; **singeri**, 492, **498**, **499**, 500; *thaxteri*, 492, 494, 495; *wittii*, *497*, 499
Cordyceps on spiders, Species of, 492
CORE, EARL L.: Wild flowers of western Pennsylvania and the upper Ohio basin (Review), 471
Coris, 213
Cornus, 394; *canadensis*, 83; *disciflora*, 390, 397; *florida*, 333; stolonifera, 21
Corydalis sempervirens, 461
Corylus americana, 21
Cranchis sylvatica, 392
Crocynia neglecta, 244
Cross-karyogamy and segregation in a homothallic fungus, 95
Crotalaria purshii, 394; *purshii* var. *polyphylla*, 391
Crusea calocephala, 392
Crypteronia, 213
Cryptogramma crispa subsp. *acrostichoides*, 245
Ctenitis, 368
Cuphea, 391; *calophylla*, 391, 396; *carthagenensis*, 391; *mimuloides*, 392; *pinetorum*, 391
Cupressus, 177, 512
CURTIS, JOHN T.: Annual fluctuation in rate of flower production by native Cypripediums during two decades, 340
Curvularia, 402; *lunata*, 402
Cyathea, 368; *mexicana*, 392, 397, 398; *sinuata*, 66
Cynoctonum Mitreola, 392
Cynodon dactylon, 149, 150
Cynometra, 186
Cyperus odoratus, 513; *Schweinitzii*, 25
Cypripedium, 340, 346, 348, 351; *acaule*, 349; *andrewsii*, 340, 345, 346, 347, 348; *arietinum*, 340, 346, 348, 350; *calceolus*, 341, 349; *candidum*, 340, 341, 343, 344, 345, 346, 347, 348, 350, 351; *favilleanum*, 340, 345, 346, 347, 348; *parviflorum*, 340, 346, 347, 348; *pubescens*, 21, 340, **341**, 343, 345, 346, 347, 348, 349, 350, 351; *reginae*, 340, 341, 343, 346, 348, 349, 461.
Cyrtanthus, 145
Cystopteris bulbifera, 91; *fragilis*, 245
Cytokinetic factors in living epidermal cells, 304
Cytology of *Xanthisma texanum*, 489
Dacrymyces, 300, 302, 331; *abietinus*, 338; *fuscominus*, 300; *minor*, 300; **nigrescens**, **300**; *pallidus*, 300, 302, 303
Dacrymyces, A new, 300
Dactylis glomerata, 92
Dalea, 391
Dama virginiana, 363
Daphniphyllum, 213
Davidsonia, 213
Declieuxia fruticosa var. *mexicana*, 392
Degeneria, 213
Delphinium belladonna, 252
Descurainia Richardsonii, 24, 31
Desfontainea, 213
Desmodium, 391; *angustifolium*, 391
Dianthus, 212
Diaphragm at the base of the internode of *Ephedra coryi*, Origin and development of, 123
Dichanthium annulatum, 150, 151, 152, 153
Dichea glauca, 393; *neglecta*, 393
Dichromena ciliata, 392
Diclidanthera, 213
Dicranella heteromalla, 156
Dicranopteris pectinata, 393
Dicranoweisia crispula, 244
Dicranum elongatum, 318
Dictyosphaeria, 78; *favulosa*, 77
Dictyostelium, 366
Didierea, 213
Dioncophyllum, 213
Dipentodon, 213
Diplazium, 368, 393
Ditrichum flexicaule, 244
Doryopteris, 61
Draba exalata, 246; *nemorosa*, 24
DRECHSLER, CHARLES: Production of aerial arthrospores by *Harposporium bysmatosporum*, 411
Drimys, 215
Drosera brevifolia, 391, 396; *intermedia*, 91; *rotundifolia*, 462
Dryas, 319; *integrifolia*, 317, 320
Dryopteris, 368, 396; *austriaca*, 245; *fragrans*, 245; *oligophylla*, 393
Dupontia Fisheri, 317, 320
DWYER, JOHN S.: Further studies of the new world species of *Copaifera*, 179
Dysphania, 213
Echinochloa, 297; *frumentacea*, 288
Echinocystis lobata, 22
Echinodorus ranunculoides, 154
Eclipta alba, 513
Eimeria schubergi, 360
Elaphoglossum, 61, 62, 66, 67, 393; **cardenasii**, **62**, **63**, 64, 65, 66, 67; *crinitum*, 66; *guatemalense*, 65; *reticulatum*, 66; *unduavense*, 65; *villosum*, 65
Elaphoglossum, Bolivian of unique leaf structure, 61
Elatostemma sinuatum eusinuatum, 297
Eleagnus commutata, 32
Eleocharis, 91; *rostellata*, 91

Elephantopus mollis, 392
Elodea, 311
Elymus, 251; *hirsutiglumis*, 20, 23
Elytrigia dasystachya, 22, 33; *repens*, 20, 23, 26, 28; *Smithii*, 23
Empetrum nigrum, 240, 247
Endodesmidium, 355, 356, 357, 360, 361; *formosum*, 357, 358, 361
Endosynchytrium, 358, 359
Ephedra, 123, 512; *altissima*, 123; *coryi*, 123, 124, 125
Ephedra coryi, The origin and development of the diaphragm at the base of the internode of, 123
Epidendrum coriifolium, 393; *ibaguense*, 392; *nocturnum*, 393, 396; *polybulbon*, 393; *ramosum*, 393; *rhyncophorum*, 393, 397
Epilobium adenocaulon, 25, 28; *anagallidifolium*, 247; *angustifolium*, 247; *latifolium*, 247
Epimedium rubrum, 460
Epiphyllum crenatum, 393
Equisetum, 123, 396, 460; *arvense*, 23; *myriochaetum*, 392; *pratense*, 23; *variegatum*, 245
Eragrostis, 405, 410; *ekmanii*, 406, 410; *glandulosa*, 410; **glandulosa**, **406**; *hirsuta*, 407, 410; *intermedia*, 405, 410; *lehmanniana*, 405; **oreophila**, **407**, 409, 410; *oxylepis*, 410; *pectinacea*, 405; **perplexa**, **409**, 410; *pilosa*, 410; **praetermissa**, **408**, 410; *spectabilis*, 92; *Tracyi*, 409, 410; *trichocolea*, 410; **yucatana**, **406**, 410
Eragrostis (Gramineae) in North and Middle America, 405
Erica tetralix, 366
Erigeron humilis, 248; *peregrinus*, 248; *philadelphicus*, 20, 28, 32
Eriocaulon Schiedeanum, 392, 396; septangulare, 92
Eriophorum angustifolium, 317, 320; *callitrix*, 461; *Scheuchzeri*, 317, 320
Eriosema crinitum, 391; *diffusum*, 391
Ervum, 285
Eryngium, 217; *nudicaule*, 217; **Ramboanum**, **215**, **216**, 217
Eryngium (Umbelliferae), A new species of, 215
Euchlaena, 297
Eucommia, 213
Eupatorium, 251; *fistulosa*, 156; *glandulosum*, 251; *ligustrinum*, 390; *maculatum*, 25, 156; *Oerstedianum*, 390, 397; *purpurea*, 156; *Tuerckheimii*, 390
Euphorbia, 391; *brasiliensis*, 391; *cyparissias*, 251; *Esula*, 513; *glyptosperma*, 24, 32; *lancifolia*, 391; *scabrella*, 391
Eupomatia, 213
Eusynchytrium, 358
Exidia, 329, 333; *alba*, 333; *cartilaginea*, 333; **cystidiata**, 331, **333**, 337; **fragilis**, *333*, 334; *glandulosa*, 332; *nucleata*, 338; **tomentosa**, *333*
Exosynchytrium, 358, 359
FABLES, DAVID: New stations for *Habenaria integra* in Burlington County, New Jersey, 363
Fagopsis longifolia, 155
Fagus, 350; *grandifolia*, 92; *sylvatica*, 458
Festuca brachyphylla, 245
Field trip reports, 91, 156, 460, 513
Floral elements of the Pine-Oak-Liquidambar forest of Montebello, Chiapas, Mexico, 387
Flower production by native Cyprepediums, Annual fluctuation in rate of, 340
Fomes, 157
Frankenia, 212
Fraxinus, 349; *americana*, 91; *pennsylvanica*, 20, 21
Fuchsia, 215
Fuirena pumila, 156; *simplex*, 392; *squarrosa*, 91
Fumaria, 194
Fungi associated with internal contamination of sun-dried Chile in New Mexico, 400
Fusarium, 402, 404, 459; *moniliforme*, 402; *oxysporum* forma *lini*, 459; *roseum*, 401, 402
Galeopsis bifida, 24
Galium triflorum, 21, 23
Galls of *Synchytrium modioliensis*, 199
Gaultheria, 212; *Hartwegiana*, 390, 396
Gentiana crinita, 92; *glauca*, 247
Geum calthifolium, 247; *triflorum* var. *ciliatum*, 21
Gilia, 252
Ginkgo, 509, 512; *biloba*, 509
Ginkgo, Germination of pollen under sterile conditions, 509
Glaux maritima, 26
Gleichenia, 368
Gloeotulasnella, 329, 335, 338; *caroliniana*, 332; *hyalina*, 337, 338; **papillata**, **335**, 337
Glyceria grandis, 28
Gnaphalium semiamplexicaule, 391
Godmania aesculifolia, 390, 394
Goodyera pubescens, 349
Gossypium herbaceum, 204
Govenia, 392

Grammitis, 368
Gratiola aurea, 91
Greyia, 213
Grindelia perennis, 24, 32
Griselinia, 215
Grossularia oxycanthoides, 21
Growth of the main apices of excised tomato roots, 447
Growth patterns of excised tomato roots, 440
Guepiniopsis alpinus, 335; *chrysocomus*, 335; **minuta**, **334**, 337; *occidentalis*, 334, 335; *torta*, 334
Guibourtia, 179, 185
GUNCKEL, J. E.: Growth and differentiation in plants (Review), 464
GUNDERSEN, ALFRED: World families for angiosperms, 210
Gunnera, 215
GUSTAFSON, FELIX G.: A study of riboflavin, thiamine, niacin and ascorbic acid content of plants in Northern Alaska, 313
Habenaria, 351; *blephariglottis*, 91, 364; *ciliaris*, 91, 364; *clypeata*, 392; *cristata*, 364; *dilatata*, 349; *flava*, 349; *hyperborea*, 349; *integra*, 91, 363, 364; *lacera*, 349; *viridis* var. *bracteata*, 349
Habranthus, 141, 142; *Andersoni*, 141, 142, 143, 145, 146; *Andersoni* var. *rosea*, 141, 142, 143, 146; *Andersoni* var. *texanus*, 141, 142, 143, 145, 146, 147
Habranthus and *Zephyranthes*, Chromosome numbers and morphology in, 41
Hackelia americana, 21
Haematococcus, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233; *pluvialis*, 218, 219, 221, 225, 229, 232
Halicystis, 78
Harposporium anguillulae, 413; *bysmatosporum*, 411, 412
Harposporium bysmatosporum, Production of aerial arthrospores by, 411
HARVEY, LEROY H., New entities in North and Middle America *eragrostis* (Gramineae), 405
Hauya Heydeana, 390
Hebenstretia, 194
Hecistopteris pumila, 66
Heleocharis acicularis, 25; *macrostachya*, 27, 28; *palustris*, 20, 25, 27
Helianthus, 457; *Maximiliani*, 32; *subrhomboideus*, 32
Helicogloea, 329, 332, 333; *intermedia*, 332; *lagerheimi*, 338; *longispora*, 332, *333*; *parasitica*, *332*, *333*; **terminalis**, 329, 331, 332
Helictotrichon Hookerii, 23
Heliopsis buphthalmoides, 391; *scabra*, 32
Helleborus, 194
Hemionitis, 61
Hemitelia, 368
Hepatica, 194
Heracleum lanatum, 23
HERGERT, H. L. AND H. K. PHINNEY: *Trochodendroxylon Beckii* Gen. et Sp. Nov. from the tertiary of Oregon, 118
Heuchera glabra, 247
HEUSSER, C. J.: Alpine fir at Taku Glacier, Alaska, with notes on its postglacial migration to the territory, 83; Nunatak flora of the Juneau Ice Field, Alaska, 236
Hibiscus esculentus, 201, 202, 204; *syriacus*, 204; *trionum*, 204
Hieracium abscissum, 391
Hierochloë alpina, 240, 245; *odorata*, 21
Hippochaete laevigatum, 23, 32
Hippuris vulgaris, 28
HITCHCOCK, C. LEO: Manual of the plants of Colorado (Review), 513
Hoffmania Carlsoniae, 392
HOLLIS, JOHN P.: Studies on *Streptomyces scabies*, 98
Homothallic fungus, Cross-karyogamy and segregation in, 95
Homoxylon rajmahalense, 121
Honckenya peploides, 314
Hordeum jubatum, 23, 25, 31
Hormiscia, 80
Hormodendrum, 402, 404; *cladosporioides*, 401, 402
HOWARD, RICHARD A.: Manual de la Flora de los Alrededores de Buenos Aires (Review), 255
Hua, 213
Hudsonia tormentosa, 461
Humulus americanus, 22
Hydrocotyle mexicana, 392
Hymenochaete crateriformis, *434*
Hymenophyllum polyanthos, 393
Hymenostilbe, 493; *aranearum*, 493
Hypericum gymnanthum, 391; *perforatum*, 157
Hypoxis decumbens, 391
Hyptis conferta, 391, 397; *mutabilis*, 391, 394
Ilex, 212
Illicium, 213
Impatiens capensis, 24, 204; *pallida*, 461
Index to American botanical literature. 159, 259, 371, 473, 519
Inga, 390

Intercellular spaces, A suggested classification for, 234
Ipomaea pandurata, 91
Ivesine Celosia, 391
Iris, 252; *versicola*, 462
Isaria, 495; *atypicola*, 495; *gigantea*, 500
Iva frutescens, 513; *xanthifolia*, 24, 32
Jacquiniella leucomelana, 393
Jola, 332
Juglans, 123
Juncus, 197; *balticus* var. *littoralis*, 20, 23, 26; *bufonius* var. *halophilus*, 25, 26; *caesariensis*, 91, 364; *drummondii*, 246; *Dudleyi*, 23; *macer*, 20; *mertensianus*, 246; *nodulosus*, 20; *Torreyi*, 23
Juniperus, 252, 394, 398, 512; *comitana*, 390
Kalmia polifolia, 461
KARLING, JOHN S.: The galls of *Synchytrium modioliensis*, 199; Possible relationships and phylogeny of *Synchytrium*, 353
KENDRICK, J. B., JR. AND JOHN T. MIDDLETON: Funnel-leaf of spinach induced by 2,4-D, 137
Key, Annotated to the Nitelleae of North America, 35
Kochia Scoparia, 32
Kohleria Deppeana, 391, 397
Lactobacillus arabinosus, 318
Lactuca pulchella, 25, 31; *sativa*, 105, 106; *serriola*, 104, 105, 106, 107, 108, 109
Larix, 340; *laricina*, 346, 462
Lathyrus maritimus, 28; *palustris*, 28
Lecanora dispersa, 244; *gelida*, 244
Ledum groenlandicum, 314
LEE, ADDISON E.: Growth of the main apices of excised tomato roots, 447; Growth patterns of excised tomato roots, 440
Leea, 213
Lemna, 30, 458; *minor*, 28, 30; *trisulca*, 28, 30
Lepidium densiflorum, 24
Leptarrhena pyrofolia, 246
LEYENDECKER, PHILIP, J. JR.: Fungi associated with internal contamination of sun-dried Chile in New Mexico, 400
Liabum Bourgeaui, 391
Liatris ligulistylis, 32
Life-form spectra of four New Jersey Pitch Pine communities, 169
Lilium superbum, 91
Limosella subulata, 156
Linaria canadensis, 461
Lindsaea reniformis, 66
Linum, 398; *crepitans*, 109; *Schiedeanum*, 391
Liparis liliifolia, 349
Lippia chiapensis, 391, 396; *stoechadifolia*, 392
Liquidambar, 387, 388, 389, 397, 398; *Styraciflua*, 390, 394, 397, 398
Liriodendron tulipifera, 92
Lisianthus quichensis, 392, 397
Listera convallarioides, 349
Litsea glaucescens, 390
Lobelia canbyi, 91, 364; *cardinalis*, 91; *kalmii*, 91; *Sartorii*, 391
Lockhartia Oerstedii, 393
Loiseleuria procumbens, 247
Lola, 80, 81
Lonicera canadensis, 461; *glaucescens*, 366
Lopezia hirsuta, 392
LÖVE, ÁSKELL: Allgemeine Pflanzenkaryologie (Review), 92
LÖVE, ÁSKELL AND DORIS LÖVE: Vegetation of a prairie marsh, 16
LOWY, BERNARD: A new *Dacrymyces*, 300
Luetkea pectinata, 247
Lupinus, 283, 284, 285, 514; *nootkatensis*, 247; *perennis*, 460
Luzula arcuata, 246; *parviflora*, 246; *spicata*, 246; *wahlenbergii*, 246
Lycaste virginialis, 393
Lycopersicon esculentum, 128, 440, 445, 447, 457; *pimpinellifolium*, 440, 445, 447, 457
Lycopodium, 456; *adpressum*, 364; *alopecuroides*, 91, 364; *alpinum*, 245; *clavatum*, 245, 393, 396; *inundatum*, 364; *pithyoides*, 393; *selago* var. *appressum*, 245; *Tuerckheimii*, 393
Lygodium palmatum, 91
Lyonia squamulosa, 390, 396
Lythrum acinifolium, 392
MCVEIGH, ILDA AND WILLIAM H. BROWN: In vitro growth of *Chlamydomonas chlamydogama* Bold and *Haematococcus pluvialis* Flotow em Wille in mixed cultures, 218
Macrolobium, 252
Magnolia, 189, 211, 212
Maianthemum canadense subsp. **interius**, 21, 33
MAINS, E. B.: Species of *Cordyceps* on spiders, 492
Maize endosperm, Method of culture and growth, 111
MARAMOROSCH, KARL: The dynamics of virus and ricksettsial infections (Review), 462
Marchantia polymorpha, 245

MARENGO, NORMAN P.: The relation of the cytoplasmic inclusions to the establishment of tetrahedral symmetry in the spore quartet of *Osmunda regalis*, 501
MARTIN, G. W.: Manual of North American smut fungi (Review), 367
MATHIAS, MILDRED E. AND LINCOLN CONSTANCE: A new species of *Eryngium* (Umbelliferae) from South Brazil, 215
Matricaria matricarioides, 24
Maxillaria, 393; *cucullata*, 393; *meleagris*, 393; *Nagelli*, 393
Medicago, 284, 285; *sativa*, 24
Medusandra, 213
Melampodium longifolium, 391, 396
Melampyrum, 194
Melanotaenium brachiariae, 153
Melilotus, 285; *albus*, 24; *officinalis*, 24
Mentha canadensis, 22, 25, 28
Menyanthes trifoliata, 462; *trifoliata* subsp. *minus*, 28
Menziesia glabella, 366
Mertensia virginica, 460
Mesochytrium, 358, 359
Mettler's woods, Fire in the history of, 253
Miconia aeruginosa, 390; *glaberrima*, 390; *mexicana*, 390
Microdictyon, 76, 78, 79, 80; *japonicum*, 77; *mutabile*, 77, 78
Micromyces, 356, 358, 360
Micromycopsis, 355, 356, 357, 360, 361; *cristata*, 356, 357, 358, 360; *fischeri*, 356, 357, 358, 360; *intermedia*, 356, 357, 358, 360; *mirabilis*, 356, 357, 358, 360; *zygnaemicola*, 356, 357, 358, 361
Microstaphyla, 61, 66
Microsynchytrium, 356, 357, 358, 360, 361
Minuartia elegans, 246
MISRA, GADADHAR: Photoperiodism in rice, 323
Mitochondrial resistance to the action of chemical carcinogens, 114
Mitrastemon, 213
Modiola caroliniana, 200, 201, 202, 203, 204, 205, 206, 207, 208; *multifida*, 200; *prostrata*, 200
Mochringia lateriflora, 21
Monarda, 194; *fistulosa*, 32
Monochaetum, 390
Monotropa, 398; *coccinea*, 392
Monstera acacoyaguensis, 391, 396; *pertusa*, 393, 397
MOUL, E. T.: The genus *Euglena* (Review), 369
Mouriri, 252
MOZINGO, HUGH NELSON: Certain cytokinetic factors in living epidermal cells as illuminated by three dimensional cell-shape studies of *Phleum pratense* roots, 304
Mucor, 402; *racemosus*, 402
Muhlenbergia asperifolia, 23, 32
Mussaenda, 194
Myiophagus, 354
Myrica cerifera, 390, 394, 397; *gale*, 92, 461
Myriophyllum exalbescens, 30; *verticillatum*, 30
Nandina, 213
Narasimhania alismatis, 154
NARAYANASWAMI, S.: The structure and development of the caryopsis in some Indian millets, 288
Narcissus, 123
Narthecium, 363; *americanum*, 363
Nephrodium, 501, 504, 506, 508; *molle*, 501
Nephrolepis, 396; *pectinata*, 393
NIELSEN, C. S.: The distribution of *Physolinum*, 176
Nigella, 194
Nitella, 35, 42, 44, 45, 54, 58, 123; *acuminata*, 36, 40, 41, 52; *acuminata* var. *subglomerata*, 42; *allenii*, 36, 41; *annularis*, 37, 48, 50; *Asagrayana*, 36, 50; *axillaris*, 37, 48, 51; *Bastinii*, 36, 45; *batrachosperma*, 47, 48; *Blankinshipii*, 39; *californica*, 36, 38, 39; *capillaris*, 36, 37, 39, 45; *capillata*, 37, 53; *capitellata*, 36, 46; *cernua*, 36, 44; *clavata*, 37, 39, 40, 53; *clavata* var. *inflata*, 53; *confervacea*, 36, 47, 48, 49; *dictyosperma*, 52; *dilatata*, 36, 40, 42, 43; *flexilis*, 36, 37, 38, 39; *furcata*, 40; *gelatinosa*, 44; *gelatinosa* var. *gigantea*, 45; *glomerulifera*, 41; *Gollmeriana*, 41; *gracilis*, 36, 46, 47, 49; *hyalina*, 36, 53; *intermedia*, 36, 46, 49, 50; *Liebergii*, 36, 48; *Lindheimeri*, 41; *Macounii*, 36, 40, 42, 43, 45; *megacarpa*, 37, 52; *mexicana*, 36, 37, 38; *microcarpa*, 37, 52; *microcarpa* var. *Glazovii*, 52; *microcarpa* var. *Wrightii*, 52; *minuta*, 36, 48, 49; *missouriensis*, 36, 39; *montana*, 39; *Morongii*, 37, 48, 50, 51; *mucronata*, 36, 45, 46, 51, 52; *mucronata* var. *virgata*, 46; *obtusa*, 36, 37; *occidentalis*, 39; *oligospira*, 37, 45, 51, 52; *oligospira* var. *Wrightii*, 52; *opaca*, 36, 37, 39; *polyglochcin*, 52; *praelonga*, 36, 44; *pygmaea*, 36, 46, 47; *spanioclema* var. *nidifica*, 36, 37; *stellaris*, 41; *stellaris* var. *subglomerata*, 40, 41; *stuartii*, 42, 43; *subglomerata*, 40; *subspicata*, 40, 41; *tenuissima*, 36, 46, 47, 49;

tenuissima var. *compacta*, 47; *transilis*, 47; *tranlucens*, 44, 51.
Nitelleae of North America, Annotated key to the, 35
Notes, 94, 157, 257, 369, 518
Nunatak flora of the Juneau ice field, Alaska, 236
Nuphar, 31
Nymphaea, 30, 211; *ampla*, 392
Ochrolechia frigida, 244
Odontoglossum bictoniense, 393; *convallarioides*, 393; *Egertonii*, 393
Oenothera biennis, 22, 24; *rosea*, 392
Oligotrichum hercynicum, 244
OLIVE, LINDSAY S.: New or noteworthy species of Tremellales from the Southern Appalachians—III, 329; Cross-karyogamy and segregation in a homothallic fungus, 95
Olpidium, 354, 359; *trifolii*, 354; *viciae*, 354
Onoclea, 501, 503, 504, 506, 507, 508; *sensibilis*, 501
Ophiocordyceps caloceroides, 497
Ophioglossum palmatum, 66; *vulgatum*, 365
Ophrys aranifera, 349; *muscifera*, 349
Orchis mascula, 349; *pyramidalis*, 349; *sambucina*, 349; *spectabilis*, 349
Oreopanax, 394; *peltatus*, 390; *Sanderianus*, 390, 396; *xalapensis*, 390, 397
Orthocarpus luteus, 32
Orthrosanthus chimboracensis var. *centroamericanus*, 391
Osmunda, 501, 503, 507, 508; *regalis*, 501, 503, 504, 505, 506, 507, 508; *regalis* var. *spectabilis*, 393, 396
Osmunda regalis, Tetrahedral symmetry in the spore quartet of, 501
Oxalis stricta, 23
Oxybaphus nyctagineus, 22, 23
Oxyria, 319; *digyna*, 246, 317, 320
Oxytropis gracilis, 247
Paeonia, 213, 368
Palicourea mexicana, 390
Panicum, 297, 391, 398; *amarum*, 92; *biglandulare*, 391; *capillare*, 23, 32; *miliaceum*, 92; *miliare*, 296; *xalapense*, 391
Papaver, 212, 319; *radicatum*, 314, 317, 320; *Rhoeas*, 109
Paphiopedilum, 146
Parmelia alpicola, 244; *centrifuga*, 244
Parnassia fimbriata, 247
Paspalum, 288, 296, 297; *conjugatum*, 296; *dilatatum*, 288, 297; *mandiocanum*, 296; *plicatulum*, 153; *pubiflorum glabrum*, 288; *scrobiculatum*, 288
Paspalum scrobiculatum L., The structure and development of the caryopsis in, 288
Passiflora, 189, 194
Paullinia, 392
Paulownia, 461
Pedicularus lanata, 317, 320
Pellaea atropurpurea, 91
Penicillium, 128, 131, 134; *chrysogenum*, 135, 402; *luteum*, 402
Peniophora, 331; *peniophorae*, 331
Pennisetum, 296, 297; *typhoideum*, 288
Penstemon, 514
Pentaphylloides fruticosa, 23, 32
Peperomia galioides, 393; *maculosa*, 393, 397; *pililimba*, 393, 397; *quadrifolia*, 393; *refleza*, 393
Persicaria coccinea, 23; **coccinea** subsp. **pratincola**, 25, 28; *Hartwrightii*, 23, 25, 28; **Hartwrightii** forma **fluitans**, 31, 33; *pratincola*, 33
Pertusaria oculata, 244
Petalostemum purpureum, 32
Petasites frigidus, 317, 320; *hyperboreus*, 248; *sagittatus*, 24
Phaseolus, 271; *lunatus*, 271, 284; *multiflorus*, 271; *spectabilis*, 391, 397; *vulgaris*, 271, 284
Phaseolus lunatus L., Development of the seed coat of, 271
Philodendron, 391; *guttiferum*, 391, 393, 396
Phleum, 305, 306, 307, 309, 311; *pratense*, 304, 311
Phleum pratense roots, Three dimensional cell-shape studies of, 304
Phlox subulata, 91
Phoradendron aguilarii, 393, 396; *annulatum*, 393, 397
Photoperiodism in rice, 323
Phragmites, 18, 19, 20, 24, 25, 27, 28; *Berlandieri*, 33; *communis*, 20, 26, 27, 31; **communis** subsp. **Berlandieri**, 27, 31, 33.
Phyllanthus lathyroides, 391
Phyllodoce granduliflora, 247
Physalis gracilis, 392
Physoderma, 149, 152, 153, 154; **brachiariae**, 153; **dichanthicolum**, 150, 153; *graminis*, 149, 150, 151, 152; *maculare*, 154; *paspali*, 153
Physoderma species from India, Some new or interesting, 149
Physolinum, 176; *monilia*, 173, 177
Physolinum, Distribution of, 176
Phytolacea icosandra, 392
Phytophthora capsici, 402
Picea, 340; *mariana*, 314, 346, 461, 462; *sitchensis*, 85, 245
Picramnia quarternaria, 391, 397

Pilea microphylla, 392
Pinaropappus, 398; *roseus*, 391, 396
Pine-Oak-Liquidambar forest, Floral elements of, 387
Pinguicula lilacina, 391, 396; *moranensis*, 391
Pinus, 394; *Montezumae*, 390; *oocarpa*, 390; *rigida*, 169
Piper, 211
Piqueria trinervia, 391
Pirola asarifolia, 21
Pisum, 271, 285; *sativum*, 128
Pitch Pine communities, Life form spectra of, 169
Plantago hirtella, 392; *major*, 24, 30
Platanus, 118
Platygloea, 332; *peniophorae*, 329, 331; *peniophorae var.* **interna, 331**
Pleiochytrium, 358
Pleurothallis cardiothallis, 393; *Grobyi*, 393; *immersa*, 393; *pansamalae*, 393; *Tuerckheimii*, 393
Pluchea camphorata, 513; *odorata*, 390, 394
Poa, 32, 297; *arctica*, 317, 320; *arctica* subsp. *longiculmis*, 245; *glauca*, 245; *leptocoma*, 245; *palustris*, 20, 25; *pratensis*, 22, 23, 32
Podagrostis thurberiana, 245
Podocarpus, 215, 394, 512; *Matudai*, 391
Podophyllum, 213
Pogonatum alpinum, 244
Pogonia, 363; *ophioglossoides*, 363
Pohlia atropurpurea, 244; *proligera*, 244
Polemonium reptans, 461
Polygala, 392; *aparinoides*, 392; *floribunda*, 390; *glochidiata*, 392; *gracillima*, 392
Polygonatum canaliculatum, 22
Polygonum achoreum, 24; *aviculare*, 24; *fluitans*, 33; *mexicanum*, 392; *prolificum*, 25, 26; *ramosissimum*, 25, 26, 31, 32
Polyphylla, 394
Polypodium angustifolium, 393, 396; *furfuraceum*, 393; *moniliforme*, 393; *montegenum*, 393; *plebejum*, 393; *plumula*, 393, 396
Polypogon monspeliensis, 23
Polyporus, 517
Polystichum Braunii, 460; *lonchitis*, 245
Polytrichum juniperinum, 244; *juniperinum* var. *alpestre*, 244; *norwegicum*, 244; *piliferum*, 244
Populus balsamifera, 21; *Sargentii*, 21; *tremuloides*, 21, 32
Portulacca oleracea, 22, 24
Potamogeton pectinatus, 30; *Richardsonii*, 31; *vaginatus*, 30
Potentilla emarginata subsp. *nana*, 240, 247; *fruticosa*, 91; *hyparctica*, 317, 320; *monspeliensis*, 20, 23, 24; *nivea*, 314
Pretz, Harold W.: *Arenaria patula* in Pennsylvania, 455
Primula cuneifolia subsp. *saxifragifolia*, 247; *veris*, 349
Pringsheimella dioica, 354
Proserpinaca palustris, 392, 397
Protosiphon, 78, 79
Prunus virginiana, 21
Pseudoleskea oligoclada, 244
Psidium guineense, 390; *Oerstedianum*, 390
Psilotum, 366
Psittacanthus calyculatus, 393
Psoralea argophylla, 32
Psychotria carthagenensis, 391; *fruticetorum*, 391; *fruticetum*, 397
Pteridium aquilimum, 393, 396
Pteris, 61; *longifolia*, 393, 396
Puccinellia airoides, 20, 25, 26
Puccinellietum, 26, 27; *airoides*, 26; *maritimae*, 26
Puccinia, 459
Pycnochytrium, 358, 359, 360
Pyrrhosorus, 355
Pythium, 459; *debaryanum*, 411; *ultimum*, 458
Quercus, 343, 350, 390, 394; *alba*, 92, 255, 345; *calophylla*, 390; *candicans*, 390, 397; *crispipilis*, 390; *ilicifolia*, 169; *macrocarpa*, 21, 32; *Muhlenbergii*, 461; *pedunculatis*, 390; *prinus*, 170; *polymorpha*, 390, 397; *rubra*, 255, 345; *sapotaefolia*, 390; *segoviensis*, 390; *subfalcata*, 156; *velutina*, 255
Rama, 80
Randia aculeata, 391, 394
Ranunculus, 189, 212, 365, 398; *Cymbalaria*, 20, 31; *Cymbalaria* forma *hebecaulis*, 25; *geoides*, 392; *nivalis*, 317, 320; *pygmaeus*, 246; *sceleratus*, 28, 31; *sceleratus* forma *natans*, 31; *trichophyllus*, 462
Relbunium hypocarpium, 392
Rhabditis, 411, 412, 413
Rhacomitrium aciculare, 244; *brevipes*, 244; *canescens*, 244; *heterostichum* var. *sudeticum*, 244; *lanuginosum*, 244; *varium*, 245
Rhamnus alnifolia, 21
Rhexia mariana, 91; *virginica*, 91
Rhipidopteris, 61, 66; *flabellata*, 66; *foeniculaceae*, 66; *pellata*, 66; *tripartita*, 66

Rhizocarpon disporum, 244
Rhizoclonium, 80, 81
Rhizomyxa, 353
Rhizopus stolonifer, 402
Rhodochytrium, 360
Rhododendron viscosum, 462
Rhodora canadensis, 461
Rhodymenia palmata, 314
Rhus, 398; *radicans*, 22; *terebinthifolia*, 390
Rhynchospora cephalantha, 364; *gracilenta*, 364; *intermixta*, 392, 397; *oligantha*, 364; *capillacea*, 91
Ribes, 252; *americanum*, 22
Riboflavin, thiamine, niacin and ascorbic acid content of plants in Northern Alaska, A study of, 313
Ricinus communis, 109
RICKETT, H. W.: Materials for a dictionary of botanical terms—I, 1; II, 188; Notes from recent botanical literature, 456; Notes on recent botanical literature, 251, 364; Plant genera: their nature and definition (Review), 368
RITCHIE, DON: Mitochondrial resistance to the action of chemical carcinogens, 114
Roegneria pauciflora, 21, 22; *violacea*, 25, 26
Rondeletia stenosiphon, 391, 397
Rosa arkansana, 23, 32; *blanda*, 22, 23, 32; *canina*, 157
Rozella, 353, 354; *septigena*, 353
Rozellopsis, 355
Rubus, 252; *arundelanus*, 21; *flagellaris*, 21; *pedatus*, 83; *pubescens*, 21
Rudbeckia serotina, 32
Rumex acetocella, 314; *arctica*, 321; *articus*, 318, 320; *crispus*, 23; *fueginus*, 25, 26; *triangulivalvis*, 23
Russelia sarmentosa, 392; *verticillata*, 392
Sabattia lanceolata, 91
Sabicina, 334
Saccharomyces, 366, 460
Saccharum officinarum, 297
Sagina intermedia, 246
Sagittaria angustifolia, 392, 396; *cuneata*, 20, 28; *latifolia*, 28
Salicornia rubra, 25, 26
Salix, 313, 314, 318, 321, 514; *amygdaloides*, 20, 21, 28; *arctica*, 246; *bebbiana*, 92; *candida*, 91; *crassijulis*, 246; *glauca* subsp. *desertorum*, 246; *interior*, 20, 21, 28; *lucida*, 21; *nigra*, 21; *phebophylla*, 318, 320; *polaris* subsp. *pseudopolaris*, 246; *pulchra*, 314, 318, 320, 321; *reticulata*, 246, 318, 320; *rotundifolia*, 318, 320; *serissima*, 91, 92; *stolonifera*, 246; *torulosa*, 246
Salsola Kali, 32
Salvia, 194, 391; *lavanduloides*, 391; *Mocinoi*, 391; *rubiginosa*, 390, 391; *Sclarea*, 157
Sambucus, 212; *pubens*, 21, 22
Sanguisorba menziesii, 247
Sanicula liberta, 392
Sarcosperma, 213
Sargentadoxa, 213
Sarracenia purpurea, 91, 462
Satureja xalapensis, 392
Saurauia, 213, 391, 396; *subalpina*, 391
Sauromatum guttatum, 61
Sauvagesia erecta, 392
Saxifraga, 321; *bronchialis* subsp. *funstonii*, 246; *cernua*, 318, 319, 320; *ferruginea*, 246; *ferruginea* var. *macounii*, 247; *foliolosa*, 318, 320; *hieracifolia*, 318, 320; *oppositifolia*, 247; *punctata* subsp. *nelsoniana*, 318, 320; *punctata* subsp. *pacifica*, 247; *rivularis*, 247
Scaphyglottis confusa, 393
Schisandra, 213
Schizaea pusilla, 91
Schoenoplectus, 18, 20, 29; **acutus**, 28, 29, 30, 33; *americanus*, 27, 28; *lacustris*, 29; **validus**, 28, 29, 33; **validus** subsp. **creber**, 20, 25, 28, 33
Schoepfia, 213
Scirpus acutus, 33, 513; *atrovirens*, 28; *caespitosus* subsp. *austriacus*, 245; *paludosus*, 25, 27; *validus* subsp. *creber*, 33
Sclerolepis uniflora, 91
Scolochloa, 23, 24, 27, 31; *festucacea*, 23, 25, 26, 27, 31
Scutellaria epilobiifolia, 21
Scyphostegia, 213
Sebacina, 332, 333, 334; *deminuta*, 338; *epigaea*, 338; *eyrei*, 338; *fugacissima*, 338; *helvelloides*, 334; *incrustans*, 334, 338; *molybdea*, 338; **stratosa**, *334*; *sublieacina*, 338
Sedum roseа subsp. *integrifolium*, 246; *roseum*, 313
Seismosarca, 333, 334; *cartilaginea*, *333*; *hydrophora*, 333; *stratosa*, *334*; *tormentosa*, *333*
Selaginella, 393, 396; *Galeottii*, 393; *guatemalensis*, 393; *pallescens* var. *elongata*, 393
Senecio atropurpureus, 318, 320; *congestus*, 25, 26; **congestus** subsp. **tonsus**, 25, 26, 33; *parasiticus*, 393, 396; *uspantanensis*, 390, 396
Septolpidium, 354

Sequoia, 155
Sesleria, 349
Setaria, 297; *geniculata*, 391, 394; *italica*, 288; *virides*, 22, 25, 26
Shattering in lettuce—Its inheritance and biological significance, 104
Sibbaldia procumbens, 247
Sida rhombifolia, 392, 394
Siderocarpus flexicaulis, 177
Silene acaulis, 246
Simplocus Limoncillo, 391
Siphonocladales, The, 76
Siphonocladus, 78, 81; *tropicus*, 77
Sisyrinchium micranthum, 392
Sium suave, 25
SMALL, JOHN A.: Farwelliana (Review), 93; Histopathologic technic and practical histochemistry, 515; Laboratory manuals (Review), 517; Microtomist's formulary and guide (Review), 514; Songbirds in your garden (Review), 257; Trees and shrubs of the southwestern deserts (Review), 516
Smilacina stellata, 22; *trifolia*, 461
Smilax glauca, 91, 391, 396, 397; *herbacea*, 91; *lasioneura*, 22; *laurifolia*, 91; *rotundifolia*, 91; *walteri*, 91
Sobralia macrantha, 392
Solanum triflorum, 24
Solidago, 156; *canadensis* var. *gilvocanescens*, 24; *latifolia*, 92; *multiradiata* var. *arctica*, 248; *rigida*, 24, 32
Solorina crocea, 244
Sonchus, 28; *uliginosus*, 22, 23, 24, 25, 31
Sordaria firmacola, 95, 96
Sorghastrum, 340; *nutans*, 92
Sorghum vulgare, 297
Spartina alterniflora, 513; *cynosuroides*, 513; *patens*, 513; *pectinata*, 23
Species of *Cordyceps* on spiders, 492
Spergularia marina, 25, 26
Spermacoce glabra, 392, 396
Sphaerophorus fragilis, 244
Sphagnum, 461
Sphyrospermum majus, 390, 393
Spilanthes, 391; *americana*, 392; *americana* var. *repens*, 394; *americana* var. *stolonifera*, 394
Spinach, Funnel-leaf of, 137
Spiraea alba, 20, 32
Spiranthes, 392; *hemichrea*, 392; *praecox*, 364; *speciosa*, 393; *xantholeuca*, 392, 396
Spongomorpha, 80
Sporobolus, 251
Stachybotrys atra, 402
Stachys palustris, 31; *palustris* subsp. *pilosa*, 25, 28
Stellaria calycantha, 246; *laeta*, 318, 320; *longifolia*, 21; *pubera*, 460
Stemphylium, 402; *botryosum*, 402
Stereocaulon, 317, 320; *albicans*, 244; *botryosum* forma *dissolutum*, 244; *coralloides*, 244; *paschale*, 244; *paschale* var. *alpinum*, 244
Stereum, 435; *affine*, 435; **aurantiacum**, 424, **426**, 427, **428**, 429, 431, 439; *cyphelloides*, 424, 426, 429, 431, 439; *decolorans*, 436; *diaphanum*, 422, 424, 427, 429, 431, 439; *elegans*, 424, 425, 431, 437; *flabellatum*, *437*, 438, 439; *hydrophorum*, 424, 429, 434, 435, 439; *nitidulum*, 436, 437; *pergamenum*, 425, 431, 436, 437; *pusiolum*, 424, 429, 431, 432, 433, 434, 439; *radicans*, 424, 429, 431, 432, 433, 434, 439; *Ravenelii*, 423, 425, 431, 434, 436, 437; *surinamense*, 425, 431, 435; *tomentipes*, 437
Stereums, Some tropical American stipitate, 422
STERLING, CLARENCE, Development of the seed coat of lima bean (*Phaseolus lunatus* L.), 271
STERN, WILLIAM L., A suggested classification for intercellular spaces, 234
STERNHEIMER, ELIZABETH PIECZUR: Method of culture and growth of maize endosperm in vitro, 111
Stevia, 398; *elongata*, 391
Streptomyces scabies, 98, 99, 100, 101, 102
Streptomyces scabies, Studies on, 98
Strophostyles helola, 156
Suaeda depressa, 25, 26
Symphorema, 213
Symphoricarpos occidentalis, 22, 32
Symplocus Limoncillo, 394
Synchytrium, 199, 208, 353, 354, 355, 356, 357, 358, 359, 360, 361; *anemones*, 205; *australe*, 200; *endobioticum*, 353, 354, 359; *fulgens*, 354, 357, 359; *langloisii*, 200; *longispinosum*, 356; *modioliensis*, 199, 200, 202, 208; *ovale*, 357, 358, 361; *potentillae*, 207; *taraxaci*, 353; *zygogonii*, 356
Synchytrium modioliensis, Galls of, 199
Synchytrium, Possible relationships and phylogeny of, 353
Syngonium podophyllum, 391
Tamus communis, 157
Taraxacum, 24; *kamtchaticum*, 248
Taxus, 512
Tectaria, 396; *heracleifolia*, 393, 396
Temperature effects upon the rate of nuclear division in the root tips of *Trillium sessile* L., 414

Teramnus labialis, 391, 397
Tetracentron, 118, 120, 121, 122, 213; *sinense*, 121
Tetracentronites hartzii, 121
Tetrachond, 213
Tetrazolium chloride, A preliminary study of the staining of plant cells by, 127
Teucrium occidentale, 25, 28
Thalictrum dasycarpum, 21; *Turnerii*, 21
Thamnolia vermicularis, 244
Thelephora, 434; *elegans*, 437, 438, 439
Thelypteris, 368
THIRUMALACHAR, M. J. AND M. S. PAVGI: Some new or interesting *Physoderma* species from India, 149
Thlaspi arvense, 24, 31
Tilia, 194; *americana*, 92
Tillandsia, 396; *Butzii*, 393; *caput-medusae*, 393; *multicaulis*, 393; *punctulata*, 393; *Standleyi*, 393; *Vincentina*, 393; *violacea*, 393
Tiniaria Convolvulus, 23, 31
Tofieldia, 363; *racemosa*, 363
Tolypella, 35, 38, 42, 54; *californica*, 55, 58, 59; *comosa*, 55, 56; *fimbriata*, 57; *glomerata*, 55, 56; *glomerata* var. *abbreviata*, 55, 56, 57; *hispanica*, 54; *intertexta*, 55, 56, 58, 59; *intricata*, 55, 58, 59, 60; *longicoma*, 54, 55; *nidifica*, 56, 58; *prolifera*, 55, 57; *stipitata*, 55, 58
Tomato roots, Growth patterns of excised, 440
Tomato roots, Growth of the main apices of excised, 447
Torreya, 87, 155, 251, 363, 455, 513
Torrubiella, 495
Tradescantia, 129, 130, 132; *gigantea*, 128, 130
Tragopogon, 460
Tremella encephala, 338; *pululahuana*, 333
Tremellales from the Southern Appalachians, New or noteworthy species, 329
Trentepohlia, 177; *monilia*, 176; *monilia* forma *hyalina*, 176, 177; *moniliformis*, 176
Trichoderma lignorum, 402
Trichomanes, 368, 393, 396
Trichophorum caespitosum, 25
Trichopilia tortilis, 393
Trientalis europea subsp. *arctica*, 247
Trifolium, 285; *repens*, 24
Triglochin maritimum, 25, 26
Trigonella, 285
Trillium, 68, 69, 72, 73, 74; *Catesbaei*, 68, 69, 71, 72, 73, 74; *cernuum*, 21, 68, 69, 71, 72, 73, 74, 460; *decumbens*, 72, 73, 74; *erectum*, 69, 71, 72, 73, 74, 75; *flexipes*, 68, 69, 71, 72, 73, 74; *grandiflorum*, 68, 69, 71, 72, 73, 74; *Hugeri*, 68, 69, 71, 72, 73, 74; *lancifolium*, 72, 74; *ludovicianum*, 68, 69, 71, 72, 73, 74; *luteum*, 72, 74; *nivale*, 68, 69, 71, 72, 73, 74; *recurvatum*, 71, 72, 74; *sessile*, 71, 72, 74, 414, 415, 420, 421; *stamineum*, 71, 72, 74; *undulatum*, 68, 69, 71, 72, 73, 74, 75, 461; *Vaseyi*, 68, 69, 71, 72, 73, 74
Trillium, A further study of the chromosome morphology of some species of, 68
Trillium sessile, Temperature effects upon the rate of nuclear division in root tips of, 414
Trimenia, 213
Triplasis purpurea, 92
Tripogandra elongata, 391
Tripsacum dactyloides, 92
Tripterygium wilfordii, 370
Trisetum spicatum, 245
Triticum repens var. *dasystachyum*, 33
Triumfetta grandiflora, 391
Trochodendron, 118, 120, 121, 122; *araliioides*, 121
Trochodendroxylon, 118, 121, 122; **Beckii**, 118, 119, 122
Trochodendroxylon Beckii Gen. et Sp. Nov. from the tertiary of Oregon, 118
Tropical American stipitate Stereums, 422
Tsuga mertensiana, 83
Tulasnella, 335, 338; *pruinosa*, 331, 335, 338
TULECKE, WALTER R.: Preservation and germination of the pollen of *Ginkgo* under sterile conditions, 509
Typha, 18, 29, 252; *angustifolia*, 29; *latifolia*, 28, 29; *latifolia* forma *ambigua*, 29
Ulmus americana, 21, 297
Umbilicaria arctica, 244; *hyperborea*, 244; *proboscidea*, 244
Ursinus, 252
Urtica gracilis, 22, 23, 25, 28, 31
Utricularia, 30; *gibba*, 156; *vulgaris* subsp. *macrorhiza*, 30
Utriculata subulata, 392
Vaccinium, 212; *caespitosum*, 83, 247; *confertum*, 390, 397; *corymbosum*, 462; *uliginosum*, 83, 247; *vitis-idaea* subsp. *minus*, 318, 320
Vahlodea atropurpurea subsp. *paramushirensis*, 245
Valeriana scandens var. *Candolleana*, 392
Valonia, 76, 78, 79; *trabeculata*, 77; *utricularis*, 82; *ventricosa*, 78
Valsa leucostomoides, 459

Vegetation of a prairie marsh, 16
Veronica scutellata, 25; *wormskioldii* var. *nutans*, 247
Viburnum guatemalense, 390; *Rafinesquianum*, 461
Vicia, 285
Viola adunca, 514; *canadensis*, 21; *bellidifolia*, 514; *rugulosa*, 21, 22
Vitis tiliifolia, 392
Vriesia, 391
WAGNER, WARREN H. JR.: A Bolivian *Elaphoglossum* of unique leaf structure, 61
Waldsteinia fragarioides, 91
Wallacea, 213
WELDEN, ARTHUR L.: Some tropical American stipitate Stereums, 422
WHITAKER, THOMAS W. AND GILBERT D. MCCOLLUM: Shattering in lettuce—Its inheritance and biological significance, 104
WIDMOYER, FRED B.: The origin and development of the diaphragm at the base of the internode of *Ephedra coryi*, 123
Wimmeria concolor, 390, 396
Wintera, 213
WOODSON, ROBERT E. JR.: Why I like taxonomy—Seven meditations, 87
Woronina, 353, 355; *glomerata*, 355; *polycystis*, 353, 355
Woroninella, 358, 359
Xanthisma, 491; *texanum*, 489, 491
Xanthisma texanum, Cytology of, 489
Xanthium, 458; *italicum*, 24
Xanthophyllum, 213
Xanthoxylum americanum, 91; *fagara*, 177
Xylosma flexuosum, 390, 397
Xyris caroliniana, 91; *congdoni*, 91; *fimbriata*, 91, 364; *Jupicae*, 392; *torta*, 91
Zannichellia palustris, 30
Zea, 123, 297; *mays*, 128, 297
Zephyranthes, 141, 142; *brazosensis*, 141, 142, 144, 145, 147; *Drummondii*, 141, 142, 143, 144, 145, 146, 147; *grandiflora*, 141, 142, 143, 146; *longifolia*, 141, 142, 143, 144, 146, 147; *Traubii*, 141, 142, 143, 146
Zerna, 22; *inermis*, 23; *purgans*, 21
Zinowiewia, 394; *densiflora*, 390
Zizia aurea, 23
Zygadenus elegans, 32